

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the instant application:

Listing of Claims:

1. (Currently Amended) In a computer based system having a touchscreen, a method ~~for distinguishing between finger contact and stylus contact~~ comprising:
detecting contact with said touchscreen;
generating contact information specifying a size of said detected contact with said touchscreen;
comparing said contact information corresponding to said detected contact with contact criteria[.]] ~~said contact criteria specifying a threshold contact size; and,~~
based on said comparing of said contact information, ~~determining a contact type from a set of contact types including a finger contact and a stylus contact, automatically implementing at least one procedure selected from a group consisting of a pause strategy,~~
offsetting an on-screen pointer a predetermined distance from said detected contact, wherein the distance is based upon the size of said detected contact such that the predetermined distance depends on whether the contact type is a finger contact or other contact type, displaying an activated point on the touchscreen beneath said detected contact, automatically enabling handwriting recognition software, and presenting a user interface tailored for the determined contact type.
2. (Canceled)
3. (Currently Amended) The method of claim 1, wherein said determining step comprises:

for said contact information consistent with said contact criteria corresponding to [[said]] a finger contact, interpreting said detected contact as [[said]] finger contact; and responsive to the detecting step, implementing ~~different visual interfaces~~ a visual interface within the touchscreen configured for finger contact ~~and for stylus contact~~.

4. (Currently Amended) The method of claim 1, wherein said determining step comprises:

for said contact information consistent with said contact criteria corresponding to [[said]] a stylus contact, interpreting said detected contact as [[said]] stylus contact; and responsive to said determining step determining a stylus ~~type of~~ contact, automatically enabling handwriting recognition software.

5. (Currently Amended) The method of claim 3, ~~further comprising:~~
~~offsetting an on-screen pointer a predetermined~~ wherein the distance from said detected contact varies as the size of said detected contact varies.

6. (Previously Presented) The method of claim 1, further comprising:
detecting duration of said contact to determine whether said contact was intentional.

7. (Previously Presented) The method of claim 1, further comprising:
detecting the duration between said contact and a second contact; and
determining an occurrence of a double-click event based upon whether said contact and said second contact are each of a particular duration and whether said contact and said second contact occur within a particular time frame of each other.

8. (Original) The method of claim 4, further comprising:

displaying an activated point in said touchscreen beneath said detected contact.

9. (Original) The method of claim 4, further comprising:

converting pointer control information to text.

10. (Currently Amended) The method of claim 1, further comprising:

based on said determining step, presenting a visual interface in said touchscreen corresponding to [[say]] finger contact or a visual interface in said touchscreen corresponding to [[said]] stylus contact based on the size of the detected contact.

11. (Currently Amended) In a computer based system having a touchscreen, a method for distinguishing between a finger and a stylus comprising:

detecting contact with said touchscreen;

generating contact information [[for]] specifying a size of said detected contact with said touchscreen;

comparing said contact information corresponding to said detected contact with contact criteria;

based on said comparing of said contact information and the size of said detected contact, determining whether said contact was initiated by a finger or a stylus;

for said contact information consistent with said contact criteria corresponding to said finger contact, interpreting said detected contact as a finger contact;

for said contact information consistent with said contact criteria corresponding to finger contact, interpreting said detected contact as a finger contact and displaying an activated point in said touchscreen beneath said detected contact; and

for said contact information consistent with said contact criteria corresponding to finger contact, offsetting an on screen point a distance from said contact point such that

the distance varies depending on ~~whether said contact was initiated by a finger or stylus~~
the size of said detected contact.

12. (Previously Presented) A machine readable storage, having stored thereon a computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

detecting contact with said touchscreen;

generating contact information specifying a size of said detected contact with said touchscreen;

comparing said contact information corresponding to said detected contact with contact criteria[.]] ~~said contact criteria specifying a threshold contact size;~~ and,

based on said comparing of said contact information, ~~determining a contact type from a set of contact types including a finger contact and a stylus contact, automatically implementing at least one procedure selected from a group consisting of a pause strategy, offsetting an on-screen pointer a predetermined distance from said detected contact, wherein the distance is based upon the size of said detected contact such that the predetermined distance depends on whether the contact type is a finger contact or other contact type, displaying an activated point on the touchscreen beneath said detected contact, automatically enabling handwriting recognition software, and presenting a user interface tailored for the determined contact type.~~

13. (Canceled)

14. (Currently Amended) The machine readable storage of claim 12, further causing the machine to perform the step of:

for said contact information consistent with said contact criteria corresponding to [[said]] a finger contact, interpreting said detected contact as [[said]] finger contact; and

responsive to the detecting step, implementing ~~different visual interfaces~~ a visual interface within the touchscreen configured for finger contact ~~and for stylus contact.~~

15. (Currently Amended) The machine readable storage of claim 12, further causing the machine to perform the step of:

for said contact information consistent with said contact criteria corresponding to [[said]] a stylus contact, interpreting said detected contact as [[said]] stylus contact; and

responsive to said determining step determining a stylus ~~type of~~ contact, automatically enabling handwriting recognition software.

16. (Cancelled)

17. (Previously Presented) The machine readable storage of claim 12, further causing the machine to perform the step of:

detecting duration of said contact to determine whether said contact was intentional.

18. (Previously Presented) The machine readable storage of claim 12, further causing the machine to perform the step of:

detecting the duration between said contact and a second contact; and
determining an occurrence of a double-click event based upon whether said contact and said second contact are each of a particular duration and whether said contact and said second contact occur within a particular time frame of each other.

19. (Original) The machine readable storage of claim 15, further causing the machine to perform the step of:

displaying an activated point in said touchscreen beneath said detected contact.

20. (Original) The machine readable storage of claim 15, further causing the machine to perform the step of:

converting pointer control information to text.

21. (Currently Amended) The machine readable storage of claim 12, further causing the machine to perform the step of:

based on said determining step, presenting a visual interface in said touchscreen corresponding to [[say]] a finger contact or a visual interface in said touchscreen corresponding to [[said]] a stylus contact.

22. (Previously Presented) The method of claim 1, further comprising:

performing at least one programmatic action according to said determining step; and

based on said comparing of said contact information, determining a contact type from a set of contact types including a finger contact, a stylus contact, and an accidental contact, wherein contact criteria contain preset parameters for each of the contact types in said set.

23. (Previously Presented) The machine readable storage of claim 12, further causing the machine to perform the step of performing at least one programmatic action according to said determining step; and

based on said comparing of said contact information, determining a contact type from a set of contact types including a finger contact, a stylus contact, and an accidental contact, wherein contact criteria contain preset parameters for each of the contact types in said set.

24. (Previously Presented) The method of claim 1, wherein the touchscreen is based upon a pressure stimuli, and wherein the detecting step is dependent in part upon an amount of pressure applied to the touchscreen.

25. (Previously Presented) The machine readable storage of claim 12, wherein the touchscreen is based upon a pressure stimuli, and wherein the detecting step is dependent in part upon an amount of pressure applied to the touchscreen.